

Command-line & Web Guide

Preamble

- This User Guide documents the Web server and standalone program ESPrint developed by **Patrice GOUET and Xavier ROBERT** in the "Retroviruses and Structural Biochemistry" research team of the "Molecular Microbiology and Structural Biochemistry" laboratory (UMR5086 CNRS / Lyon University). ESPrint is an SBGrid supported application.
- ESPrint can either be executed online through a **Web interface** or at the command-line on Linux operating system.
- The Web version is referred as `webESPrint` in this User Guide.
- The standalone ESPrint 3.x binary is **freely downloadable [1.6 Mb]** (only available for x86-64 Linux OS).
- All commands described below are accessible on `webESPrint` in the **EXP** **MODE**.
- Less features are accessible on `webESPrint` in **BEG** and **ADV** **MODES**.

What does the ESPrint input file look like in the standalone program?

Typical Input File	
	example
1	Aligned Sequences <code>file.aln 5-50 1 + file.pdb cns.ctct</code>
2	Secondary Structures <code>file1.2st A file2.phd A 9 all</code>
3	Output <code>file.ps L SEQ</code>
4	Similarity Score <code>0.7 0.5 R C</code>
5	Output Layout <code>7 70 6 0 0 0 C P N</code>
6	Special Commands <pre> @skip @pp @minus 5 40 @ruler @seq 5 text @col R .8 0 0 B 0 0 .8 @aA1 aA2 bB1 hH1 bB2 @nott @top a 10-20 30-40 b 50-55 @noname @noalt @nodi @sub oldname1 newname1 @phy </pre>
	Special Characters <pre> U B 2 L D 10-16 </pre>
	Comment <code>%This is a reminder</code>
	Ending the section <code>.(single dot on a single line)</code>
7	Defining Groups and Blocks <pre> 1-4 9 %8 6 5 7 .(single dot on a single line) </pre>

1 Line 1: Aligned Sequences

Content	Sequence-File	Selected-Range	Start-Index	Extra-Input	PDB-File	CNS-File
Example	<code>file.aln</code>	<code>5-50</code>	<code>1</code>	<code>+</code>	<code>file.pdb</code>	<code>cns.ctct</code>
	MODE	BEG	ADV	ADV	ADV	EXP EXP

- **Sequence-File**
File name of the aligned sequences - see [Appendix 1](#) for more details.
- **Selected-Range** [default: whole sequence]
Range of residues to be displayed (for example 5-50).
- **Start-Index** [default: 1]
Renumbers residues, so that the first displayed sequence starts with the specified Start-Index.

If the first displayed sequence starts by ATREYES, the command line `file.aln 5-4500 2` gives YES and Y is numbered as second residue. Do not Enter a Start-Index value if the first residue is already numbered in `file.aln`, as explained in [Appendix 1](#). You can check residue numbering of all sequences using option N described in section **Output Layout**.
- **Extra-Input** [default: none]
A + specified enables layers or extra input - see [layer example](#) for more details.
- **PDB-File** [default: none]
Name of a PDB file. A PDB output will be generated with occupancy factors replaced by similarity score per residues - see [Appendix 2](#).
- **CNS-File** [default: none]
Name of a CNS file containing a list of intermolecular contacts - see [Appendix 3](#).

2 Line 2: Secondary Structures

Content	Sec.Str-File	Acc-Disp	Sec.Str-File	Acc-Disp	ScoreConfidence	AutomaticSearch
Example	<code>file1.2st</code>	<code>A</code>	<code>file2.2st</code>	<code>A</code>	<code>9</code>	<code>all</code>
	MODE	BEG	BEG	ADV	ADV	ADV

o **Sec.Str-File**

Name of the file containing **secondary structure** information. By default, displayed secondary elements are extracted from the first monomer, but you can select a different chainID with the command 'chain_X' (example: file1.2st chain_B).

Three kinds of layout are used, depending if one or two secondary structure files are supplied:

- o 1. If one secondary structure file is supplied (uploaded in the `TOP secondary structures` box in `webESPrpt`):
Secondary structure elements are displayed at the top of each block of sequences and relative accessibility at the bottom.
- o 2. If two secondary structure files are supplied:
- secondary structure elements of the first file (uploaded in the `TOP secondary structures` box in `webESPrpt`) and corresponding accessibility are displayed at the top of each block.
- secondary structure elements of the second file (uploaded in the `BOTTOM secondary structures` box in `webESPrpt`) and corresponding accessibility are displayed at the bottom of each block.
- o 3a. If file1.2st is entered as usual and the string none is entered as file2.2st: secondary structure elements and relative accessibility are displayed at the top of each block - see **Example 1**.
- o 3b. If the string none is entered as file1.2st and file2.2st is entered in turn: secondary structure elements of the second file and relative accessibility are displayed at the bottom of each block.

By default, file1.2st (`TOP secondary structures` in `webESPrpt`) and file2.2st (`BOTTOM secondary structures` in `webESPrpt`) refer to the first and the last displayed sequences. This default can be changed by using the **Special Character** X for the first secondary structure file and Z for the second.

Secondary structure elements can be extracted by reading the alignment file file.aln, if you type the character * instead of file1.2st (check `Sec.struct.info from PP/NPS@PDB` option in `webESPrpt`). This * option prevents you from typing file.aln twice and can be used for alignment files from **PredictProtein** or from **NPS@**, which contain information on **predicted** secondary structure elements - see **Example 1**.

o **Acc-Disp** [default: none]

Displays **relative accessibility** if you upload DSSP or PHD files as file1.2st or file2.2st.

o **ScoreConfidence** [default: 9]

When the secondary structure file is a PHD file, secondary elements with a reliability equal at least to ScoreConfidence are highlighted. If reliability is below limit, helices appear as small squiggles, β -strands as dotted lines and labels are not written - see **Example 1**.

o **AutomaticSearch** [default: none]

ESPrpt searches in the directory \$DSSP_DIR (defined as an environment variable) for files having the same name as aligned sequences. Thus, secondary structure information of each aligned sequence with a known 3D structure can be displayed. This option implies that you have the corresponding DSSP files in \$DSSP_DIR.

3 Line 3: Output

Content	Output-file	NumberingOption	SequenceOutput
Example	file.ps	L or M	SEQ
MODE	BEG	BEG	EXP

o **Output-file**

Name of the PostScript output file.

o **NumberingOption**

By default, α -, 3_{10} - and π -helices as well as β -strands are numbered with digits.

With the L option, helices and β -strands are numbered with letters, starting at 'A'. With the M option, helices are numbered with digits and strands with letters.

You can remove all secondary structure labels by using the **Special Character** command: A S all (button `Hide labels` in `webESPrpt`) if you want to prepare figures such **Example 5**.

o **SequenceOutput**

The SEQ option (`Extract reference sequence` in `webESPrpt`) allows to extract a single sequence in a one-letter code, from a multiple alignment file entered as file.aln. By default, this sequence corresponds to the first displayed in the ESPrpt figure and is written in a file named file.seq. The extracted sequence can be used in **NPS@** or other servers to perform further queries. The SEQ option can also be used to extract sequence information from a PDB file.

4 Line 4: Similarity Score

Content	SimilarityGlobalScore	SimilarityDiffScore	SimilarityType	Consensus
Example	0.7	0.5	R, B, P, I or S, M, E	C
MODE	BEG	ADV	BEG	BEG

o Check **Appendix** for a general view on similarity computation and colour scheme.

o **SimilarityGlobalScore** [default: 0.7]

- If R, B, P or I as SimilarityType: a global score is calculated for all sequences by extracting all possible pairs of residues per columns. If applicable, a second score is calculated within each group of sequences.
- If S, M or E as SimilarityType: a percentage is calculated for each column of residues.

If the score is greater than SimilarityGlobalScore, it will be rendered as coloured characters (red characters on a white background by default and white characters on a red background if residues are strictly conserved in the column) with frames (blue by default). Note that strictly conserved residues are boxed but are not framed, if you enter a SimilarityGlobalScore greater than 1.

o **SimilarityDiffScore** [default: 0.5]

Applicable if R, B, P or I as SimilarityType: residues which are **conserved within a group but not conserved from one group to the other** are highlighted (yellow background by default).

o **SimilarityType** [default: R]

- If R, B, P or I: a **matrix** is used to calculate the similarity score. Risler, BLOSUM62, PAM250 and Identity are the four possibilities. We recommend a SimilarityGlobalScore of 0.1-0.2 with B or P matrices and of 0.6-0.7 with R or I matrices.
- If S: a percentage of strictly conserved residues is calculated per columns.
- If M: a percentage of similarity is calculated considering criteria used in **MultAlin** (LV / LM / FY / NDQEBZ).
- If E: a percentage of equivalent residues is calculated per columns, considering physico-chemical properties: HKR are polar positive, DE are polar negative, STNQ are polar neutral, AVLIM are non polar aliphatic, FYW are non polar aromatic, (PGC).

o **Consensus** [default: none]

A consensus sequence is generated using criteria from **MultAlin**: uppercase is identity, lowercase is consensus level > 0.5, ! is anyone of IV, \$ is anyone of LM, % is anyone of FY, # is anyone of NDQEBZ. lowercase is consensus level > SimilarityGlobalScore if S, M or E are used as

5 Line 5: Output Layout

Content	FontSize	ColumnNb	Vgap	Vshift	Hshift	Bshift	PrinterOpt	Paper	AllNumbered
Example	7	70	6	0	0	0	C, T, S, B, F	P, P3, P0, PU, PX, L, L3, L0, LU, LX	N
MODE	BEG	BEG	BEG	BEG	BEG	ADV	BEG	BEG	BEG

- **FontSize** [default: 7]
Size in points for the `Courier` font (sequence names and residues).
- **ColumnNb** [default: 60]
Number of residue columns per line.
- **Vgap** [default: 6]
Vertical gap between two blocks of sequences. The unit for the distance is the height of a line.
- **Vshift** [default: 0]
Vertical shift for the whole display. The unit for the distance is the height of a line.
- **Hshift** [default: 0 - centered]
Horizontal shift for the whole display. The unit for the distance is the width of a residue.
- **Bshift** [default: 0]
Shift lines below bottom sequence. The unit for the distance is the width of a residue.
- **PrinterOpt** [default: c]
C coloured output, T coloured with all letters in bold, S light cyan background, B black & white, a grey scale is used, F flashy colours, similar residues are written with black bold characters and boxed in yellow.
- **Paper** [default: P]
P: Portrait A4, P3: Portrait A3, P0: Portrait A0, PU: Portrait US Letter, PX: Portrait 'Tapestry', L: Landscape A4, L3: Landscape A3, L0: Landscape A0, LU: Landscape US Letter, LX: Landscape 'Tapestry'.
- **AllNumbered** [default: first sequence]
By default, the first sequence is numbered every ten residues as in [Example 2](#). With the option `N` (check `Number sequences` option in `webESPrint`) all sequences are numbered at the beginning of each block of sequences as in [Example 3](#).

6 Lines 6: Special Commands

• Hide sequences



Aligned sequences are not written (check `Hide sequences` in `webESPrint`). This option can be used to build a figure including several secondary structure elements as in [Example 4](#). `@skip` is a shortcut for the block of [Special Characters](#) below:

```
I S all ! skip all
F S all ! skip all
H S all ! skip all
B S all ! skip all
O S all ! skip all
N S all ! skip all
T S all ! skip all
Y S all ! skip all
```

• More info from a file from PredictProtein or NPS@



Extra information can be extracted upon use of the command `@pp if`:

- A result file from the [PredictProtein](#) server is entered as `file.aln`:
ProDom domains are visualized with yellow bars below each block of sequences. 'x' marks from the SEG low-complexity⁽¹⁾ search are represented with dotted lines. Peptides resulting from a PROSITE⁽²⁾ search are shown with bold letters.
- A file from the [NPS@](#) server with multiple sequence alignment and predicted secondary structure elements is entered as `file.aln`:
Predicted secondary structure elements are shown below each aligned sequence (i.e. helices with squiggles, β -strands with arrows, ambiguous predictions with solid circles).

• Minus / Plus



Residue numbering can be changed along a single sequence. If `@minus` is used, numbering is shifted by -1 at the given column (here at columns 5 and 40). If `@plus` is used, residue numbering is shifted by +1 at the given column. Before using this option, use the command `@ruler` described below to visualize column numbers.

`@minus` and `@plus` are equivalent to the options `Delete in seq numbering` and `Insert in seq numbering` in `webESPrint`.

Note that by default sequence numbering refers to the first displayed sequence, but it can refer to the third displayed sequence (for example) if you enter the [Special Command](#) `Y D 3`.

• Preview column numbers

Example	<code>@ruler</code>
MODE	ADV

Column numbers are displayed. This option is useful when preparing a figure with the special commands `@minus` or `@plus` presented above, or the [Special Characters](#) Q, V, W.

• Insert text at sequences

Example	<code>@seq 5 text</code> <code>@seq vp7_ehdiv1 text</code>
MODE	EXP

The command is: `@seq [sequence number or sequence name] [text or blank]`
The text is then inserted **above** the chosen sequence. Note that sequences numbers are given in the log file of ESPrnt.

Special case: the text is inserted **below** the last displayed sequence, if you chose a number greater than the number of displayed sequences. Thus, you can give a name to a line of [Special Characters](#) and change the colour of the name with the Special Character T.

• Modify or create colours

Example	<code>@col R .8 0 0</code> <code>@col B 0 0 .8</code>
MODE	EXP

Assigns a new RGB code for a [Special Characters](#) colour in ESPrnt. You can also create a new special character colour, such as A for grey:

```
@col A .5 .5 .5 ! create a new colour named A
I A all ! strictly conserved residues are in grey
```

Remark: a new character colour must be created before being used as in the example above. S is reserved to skip. Otherwise, any uppercase character can be used. Have a look at this [site](#) to chose new colours and corresponding [percent](#) RGB values (range is 0.0-1.0 and white is 1 1 1).

• Replace labels

Example	<code>@aA1 aA2 bB1 hH1 bB2</code> <code>@aA3 bB3</code>
MODE	ADV

Secondary structure labels can be replaced by new ones defined by the user. Labels starting by a, b, h, p refer to α -helices, β -strands, 3_{10} -helices and π -helices respectively. These first characters are not displayed. Replacement is made according to the order of entrance (see [Example 4](#)), firstly through the top secondary structure elements, then through the bottom secondary structure elements, if applicable.

Command lines can be written with all α -helices firstly, then all β -strands, 3_{10} - and π -helices. For instance you can remove labels of all 3_{10} -helices by typing as many `@h h h h` as needed.

If the first letter is typed in uppercase (`@Ag1 Ag2`), the second letter is displayed using a Symbol font (here, displayed labels would be $\psi_1 \psi_2$).

• Hide turns

Example	<code>@nott</code>
MODE	ADV

Strict α - and β -turns, usually rendered as **TTT** and **TT**, are not displayed (see information on [secondary structures](#)).

• Insert secondary structure elements

Example	<code>@top a 10-20 20-30 b 50-55</code> <code>@bot Lom b 25-35</code>
MODE	EXP

Inserts α -helices (a), β -strands (b), 3_{10} -helices (h) or π -helices (p) at the top or bottom of sequences blocks. Rules of numbering are the same as in section [Secondary Structures](#) (i.e. by default, top and bottom secondary structure elements match top and bottom sequences, respectively).

You can enter up to 264 characters on this line of command. Click on the button **+1** of the interface to duplicate the form if you exceed this limit. Thus, you may be able to enter α -helices in **Layer 0** and β -strands in **Layer 1**, while still being under the limit of 264 characters in each part.

• Hide names of secondary structure elements

Example	<code>@noname</code>
MODE	ADV

Removes the name of the corresponding sequence at the beginning of each line of secondary structure elements. By default, this name has the same colour as the first displayed element.

Remark: assume a very special case, where your sequence starts at 10, and you want to colour secondary structure name in red and secondary structure elements in blue. Then you can use the [Special Characters](#) command X:

```
X R 10-10
X B 11-4500
```

• Hide alternate conformations

O	difference similarity boxes
N	low similarity scores
Adding markers	
U	triangle up (see Example 2)
D	triangle down
G	go
J	jammed
S	star
C	solid circle
E	open circle
L	dotted line
K	stroke
Adding NMR markers	
s	amide proton slow exchange rate ($< 1\text{mn}^{-1}$)
t	$^3J_{\text{HN,H}\alpha}$ NH-H α coupling constant $< 6\text{ Hz}$
u	$^3J_{\text{HN,H}\alpha}$ NH-H α coupling constant $\geq 7\text{ Hz}$
a, b, c	$d_{\text{NN}}(i, i+1)$ NOE between proton NH of residue i and $i+1$ (weak, medium, strong)
d, e, f	$d_{\alpha\text{N}}(i, i+1)$ NOE between proton α of residue i and proton NH of $i+1$ (weak, medium, strong)
g, h, i	$d_{\beta\text{N}}(i, i+1)$ NOE between proton β of residue i and proton NH of $i+1$ (weak, medium, strong)
j	$d_{\text{NN}}(i, i+2)$ NOE between proton NH of residue i and proton NH of $i+2$
k	$d_{\alpha\text{N}}(i, i+2)$ NOE between proton α of residue i and proton NH of $i+2$
l	$d_{\alpha\text{N}}(i, i+3)$ NOE between proton α of residue i and proton NH of $i+3$
m	$d_{\beta\text{N}}(i, i+3)$ NOE between proton α of residue i and proton β of $i+3$
n	$d_{\alpha\text{N}}(i, i+4)$ NOE between proton α of residue i and proton NH of $i+4$

Character-Colour (except if R is Character-Type)											
D	B	R	P	G	F	C	O	Y	M	W	S
Black	Blue	Red	Pink	Green	Green fluo	Cyan	Orange	Yellow	Maroon	White	Transparent

Position
By default, residues are numbered according to the first displayed sequence
[] means mandatory and () optional

if Character-Type= **P, T**
[sequence name number or range] {other sequence name number or range} {...}

1 Example 1: to calculate hydrophathy of the third displayed sequence: P R 3 (the string hyd will be written in red)
Example 2: to colour the name of the second sequence in green: T G 2

if Character-Type= **R**
[chainId] [residue range] {other residue range} {...}

2 See [Appendix](#) for details on intermolecular contacts

if Character-Type= **X, Y, Z**
[name or number of sequence displayed] {Start-Index^(1 by default)}
or
[residue range] {other residue range} {...}

3 Example 1: to assign the first secondary structure file to the third displayed sequence: X B 3 (sec. structure elements are in blue)
Example 2: to number the fourth displayed sequence in blue: Z B 4 (the same command Z B 4 can be used to assign the second sec. structure file to the fourth displayed sequence and to colour sec. structure elements in blue).
Example 3: to colour elements in blue and red:
X B 3 secondary structure elements refer to the 3 displayed sequence and are in blue. This sequence is now the reference)
X R 4-50 60-80 (but secondary structure elements from residues 4 to 50 and from 60 to 80 are in red)
Remark: you can type X B name_of_the_third_displayed_sequence instead of X B 3

if Character-Type= **Q, V, W**
[number or range of sequence displayed] {column range} {other column range} {...}

4 Note that, here, column numbering is used instead of residue numbering. Use the command @ruler to preview column numbers.
Example 1: to highlight in yellow residues of sequences 3-8 from columns 40 to 45 and from 50 to 55: Q Y 3-8 40-45 50-55
Example 2: to highlight the last sequence in cyan: Q C 1000

if Character-Type= **U, D, S, C, L, A, I, F, M, H, B, O, N, s, t, u, a, b, c, d, e, f, g, h, i, j, k, l, m, n**
[residue number or range] {other residue number or range} {...}

5 Example 1: to add red triangles at residue 2 and from 9 to 39: U R 2 9-39
Example 2: to box all identical residues in blue: I B 1-4500
Example 3: to remove all secondary structure labels: A S 1-4500

By default, positions refer to residue numbering of the first displayed sequence. Use the special command Y to change this default:
Y B 3 (residue numbering refers to the 3 displayed sequence and residues numbering is in blue)
U R 9 20-30 (adds red triangles below columns containing residues 9 and 20 to 30 of sequence 3)

8 Line 6c: Comment

Example %This is a reminder

MODE ADV

A line beginning with % will be displayed at the bottom of the generated PostScript, as a comment or a title.

9 Line 6d: Ending the section

Example .

MODE ADV

A single dot on a line ends this section.

10 Lines 7: Defining Groups and Blocks



You can select the sequences to be displayed and their order on a single line: 2 1 3-5

a11 can be used to select the rest of the sequences: 2 a11 (see [Example 5](#)).

A % before a sequence number keeps a sequence for similarity calculations but prevents it from displaying: 2 %1 %3-5 (see [Example 4](#)).

You can also separate your sequences in groups for similarity computations, each line defining a group and giving the order of the sequences to display as in [Example 2](#) ([ADV](#) or [EXP](#) modes in webESPrnt). The calculation by group is not performed if **SimilarityType** is Strict, Multalin or Equivalent (groups are just numbered).

This section is ended by a single dot on a single line.

11 Appendix

• file.aln

file.aln is an ASCII file containing aligned sequences. The following formats are supported:

- [MultAlin](#)⁽³⁾
- [ProDom](#)⁽⁴⁾
- [ClustalW](#)⁽⁵⁾
- [Clustal Omega](#)⁽⁶⁾
- [NPS@](#)⁽⁷⁾
- [FASTA](#)⁽⁸⁾
- [SeaView](#)⁽⁹⁾
- [PDB](#)⁽¹⁰⁾

Should you have other aligned sequences, be sure to keep two fields per line: the first one is the name of the sequence, the second one the sequence itself. Use white characters (spaces) to separate the two fields; use blank lines to separate two blocks as in:

```
vp7_btvs1      MDTIAARALTVMRACATLQEARIVLEANVMEILGIAINRYNGLTLRGVTMRPTSLAQRNE
vp7_btvs10     MDTIAARALTVMRACATLQEARIVLEANVMEILGIAINRYNGLTLRGVTMRPTSLAQRNE

vp7_btvs1      MFFMCLDMMLSAAGINVGPISPDYTQHMATIGVLATPEIPFTEAANEIARVTGETSTWG
vp7_btvs10     MFFMCLDMMLSAAGINVGPISPDYTQHMATIGVLATPEIPFTEAANEIARVTGETSTWG
```

FASTA format for multiple alignments is supported. Sequences can be entered as below:

```
> vp7_btvs1
MDTIAARALTVMRACATLQEARIVLEANVMEILGIAINRYNGLTLRGVTMRPTSLAQRNE
MFFMCLDMMLSAAGINVGPISPDYTQHMATIGVLATPEIPFTEAANEIARVTGETSTWG
> vp7_btvs10
MDTIAARALTVMRACATLQEARIVLEANVMEILGIAINRYNGLTLRGVTMRPTSLAQRNE
MFFMCLDMMLSAAGINVGPISPDYTQHMATIGVLATPEIPFTEAANEIARVTGETSTWG
```

If a Start-Index is present in file.aln (at least in the first block of sequences), residue numbering is modified accordingly.

Format is title_Start-Index_or title(Start-Index) as below:

```
vp7_btvs1 (3)  TIAARALTVMRACATLQEARIVLEANVMEIL
vp7_btvs10 (5) --AARALTVMRACATLQEARIVLEANVMEIL

vp7_btvs1      GIAINRYNGLTLRGVTMRPTSLAQRNEMFFM
vp7_btvs10     GIAINRYNGLTLRGVTMRPTSLAQRNEMFFM
```

• file.pdb

You can enter the name of a **PDB** file at the first input line (instead of the multiple alignment file, file.aln). ESPrnt will extract a one letter code sequence, corresponding to all the residues contained in this PDB file. You can display the sequence of a single monomer defined by a chainID in the PDB file, by using the command chain_X on the input line: file.pdb chain_A


The extracted sequence is given the name of the input PDB file. This default can be changed, if the header of the PDB file contains a line starting by DBREF. The string of characters following DBREF will be the name of the extracted sequence: DBREF sequence_name

You can also enter the name of a multiple alignment file, file.aln, and of a PDB file, file.pdb, on the first input line: file.aln file.pdb (see [Example 2](#)).

Then, a file named file_bcol.pdb is created by ESPrnt from file.pdb. The occupancy factors of the original file file.pdb are replaced by similarity scores in file_bcol.pdb.

Attention, similarity scores in file_bcol.pdb have been rescaled between 0 and 100. This trick allows in a next step, to show conserved region along the structure with a nice colour ramping going from white to red. The command chain_X allows to copy the similarity score of a chosen monomer in the output file file_bcol.pdb: file.aln file.pdb chain_A

The output PDB file, file_bcol.pdb, is used to produce a PyMOL cartoon representation as shown below (to that end, check [Generate a PyMOL view](#)).



Residues with **SimilarityGlobalScore** lower than 0.7 are in white, conserved areas with **SimilarityGlobalScore** in the range 0.7-1.0 are colour-ramped in red with a 0-100 pseudo occupancy factor value.

• Intermolecular contacts

A log file produced by [CNS](#)⁽¹¹⁾ can be read by ESPrnt to display protein:protein contacts (see [Example 4](#)). You can also use [ENDscript](#) to generate rapidly such a figure. A list of contacts is generated as follows:

- **Crystallographic contacts** - addition to CNS command file:

```
delete selection=(hydrogen) end flags exclude * include pvdw end
parameter nbond wmin=4.0 end end energy end
```

generates in CNS log file:

```
%atoms "A -62 -ASN -OD1 " and "C -112 -THR -C "(XSYM# 4) only 3.64 A apart
```

o **Non-crystallographic contacts** - addition to CNS command file:

```
flags exclude * include vdw end parameter nbond wmin=0 end end  
distance cuton=0.0 cutoff=4 from =(segid A) to =(not segid A) end
```

generates in CNS log file:

```
atoms "A -90 -ALA -CB " and "B -181 -HIS -CE1 " 3.6958 A apart
```

Residue names, residue numbers, first letter of chainIDs and distances are extracted from the CNS log file. If the input line in ESPrnt is `R A all`, chainIDs of all residues in contact with molecule A are displayed on a bottom line named `i_A`. The chainID character is in **red** if the distance is less than 3.2 Å and in **black** if it is in the range 3.2-4.0 Å. The shortest intermolecular distance is taken for each residue. Thus, a B would be written under residue 90, if the distance listed in the example above is the shortest between `Ala90` chainID A and `His181` chainID B. A B would be written under `His181` on a new bottom line named `i_B` with the command `R B all`.

Contacts can be further analysed looking to the figure produced by ESPrnt:

- o A to Z, 0 to 9 or a to z means that the concerned amino acid residue has a non-crystallographic contact with an amino acid residue of the Chain A to Z, 0 to 9 or a to z (e.g. this amino acid residue is involved in a non-crystallographic interface).
- o A to Z, 0 to 9, a to z in **italic** means that the concerned amino acid residue has a crystallographic contact with an amino acid residues of the Chain A to Z, 0 to 9 or a to z (e.g. this amino acid residue is involved in a crystallographic interface).
- o # identifies a contact between two amino acid residues having the same names and numbers (e.g. along a 2-fold symmetry axis).

• file.2st


This file is an ASCII file from which ESPrnt will extract secondary structure information. The following formats are supported:

DSSP⁽¹²⁾ (a PDB file can be directly uploaded if you use [webESPrnt](#)), DSSP being executed on the server)

STRIDE⁽¹³⁾

PHD⁽¹⁴⁾

α -helices, 3_{10} -helices and π -helices are displayed as medium, small and large squiggles respectively. β -strands are rendered as arrows, strict β -turns as **TT** letters and strict α -turns as **TTT**. The secondary structures files of the two sequences have been entered in the excerpt below.



A verification is performed between residue names of the secondary structure file and of the chosen sequence (which is the first displayed by default). In case of problem, the program will try to align the two sequences **without gaps**. You get the following warnings, if some residues do not correspond between the two sequences:

```
Warning: DSSP residue M does not match seq residue D 2 sequence 1 column 2
```

If the program failed to align the two sequences, you get an error message:

```
Warning: DSSP residue M does not match seq residue D 2 sequence 1 column 2  
Warning: DSSP residue D does not match seq residue T 3 sequence 1 column 3  
.....  
Error: sec. structure elements are certainly misplaced
```

and the figure generated by ESPrnt gives you a **false** information.

A file produced by DSSP can include the positions of disulphide bridges. This information is rendered in ESPrnt by green digits (1, 1, 2, 2 ...) written under each column with a bound cystein.

Residues with alternate positions can also be flagged in the DSSP file (we use a modified version of DSSP on [webESPrnt](#)), in order to be marked by grey stars on the top of sequences blocks in the PostScript figure.

• Accessibility


The relative accessibility of each residue can be extracted from DSSP⁽¹²⁾ and PHD⁽¹⁴⁾ files. It is rendered as blue-coloured boxes located at the last or first line of each block (see **Secondary Structures**). Note that DSSP include only protein atoms in its calculation of accessibility. Coordinates of water molecules, ligands... are not taken into account. The blue square scale is set as follow:



colour	value	accessibility
blue	$0.4 < A \leq 1.0$	accessible
cyan	$0.1 \leq A \leq 0.4$	intermediate
white	$A < 0.1$	buried
blue with red borders	$A > 1.0$	
red	either accessibility is not predicted in PHD ⁽¹⁴⁾ or residue names between sequence and DSSP ⁽¹²⁾ file do not match	

• Hydrophathy

The hydrophatic character of a sequence selected with the P command (P D 1 for first displayed sequence) is calculated according to the algorithm of Kyte & Doolittle⁽¹⁵⁾ with a window of 3.



colour	values	Hydrophathy
pink	$H > 1.5$	hydrophobic
grey	$-1.5 \leq H \leq 1.5$	intermediate
cyan	$H < -1.5$	hydrophilic

Hydropathic values for each residue

I	V	L	F	C	M	A	G	T	S	W	Y	P	H	E	Q	D	N	K	R
4.5	4.2	3.8	2.8	2.5	1.9	1.8	-0.4	-0.7	-0.8	-0.9	-1.3	-1.6	-3.2	-3.5	-3.5	-3.5	-3.5	-3.9	-4.5

Similarity scores

If **Risler** **BLOSUM62** **PAM250** or **Identity**, several scores are calculated:

- in-Group Score (ISc)** is a classical computation of a similarity score within each group.

For a column made of 3 residues ACD:
 $ISc = (AC+AD+CD) \div 3$

- Cross-Group Score (XSc)** is the similarity score average for every sequence pair, where each sequence belongs to a different group.

For a column made of 6 residues divided in 3 groups (ACD)(DE)(G):
 $XSc = [(AD+AE+CD+CE+DD+DE) \div 6 + (AG+CG+DG) \div 3 + (DG+EG) \div 2] \div 3$

- Total Score (TSc)** is the mean of **in-Group Score** and **Cross-Group Score**:

$TSc = (ISc + XSc) \div 2$

The user specifies a threshold for **in-Group (ThIn)** and **Diff-Group (ThDiff)** scores. Colours are chosen according to the following rule:

- A** Red box, white character → **Strict identity**.
- Y** Red character (or black bold character with color scheme "Flashy") → **Similarity in a group: ISc > ThIn**.
- T** Blue frame (filled in yellow with color scheme "Flashy") → **Similarity across groups: TSc > ThIn**.
- Q** Green fluo box → **Differences between conserved groups: (ISc-Xsc) > 2 > ThDiff**.

Similarity scores matrices

Risler matrix⁽¹⁶⁾

```

A C D E F G H I K L M N P Q R S T V W Y .
A 22-15 2 17 6 6 6 17 14 13 10 13 -2 18 15 20 19 20 -9 2-30
C-15 22-17-15-16-17-18-16-16-15-16-16-18-14-15-13-14-14-18-11-30
D 2-17 22 10 -3 -4-13 0 1 -2 -5 8-12 6 -1 7 0 0-14 -4-30
E 17-15 10 22 6 3 -6 15 14 9 6 14 -1 21 19 18 16 16-10 2-30
F 6-16 -3 6 22 -4-11 10 1 10 -2 4-11 7 4 5 3 8-9 20-30
G 6-17 -4 3 -4 22-12 0 -1 -2 -4 2-12 2 1 7 2 1-13 -2-30
H -6-18-13 -6-11-12 22 -8-10 -9-12 -3-16 -5 -4 -4 -9 -7-17 -8-30
I 17-16 0 15 10 0 -8 22 10 21 9 9 -6 14 14 16 16 22 -7 4-30
K 14-16 1 14 1 -1-10 10 22 7 4 10 -7 17 21 14 12 12-11 5-30
L 13-15 -2 9 10 -2 -9 21 7 22 18 8 -8 11 12 13 12 20 -8 5-30
M 10-16 -5 6 -2 -4-12 9 4 18 22 0-12 12 11 6 8 8-13 -2-30
N 13-16 8 14 4 2 -3 9 10 8 0 22-10 16 12 19 11 11-11 -1-30
P -2-18-12 -1-11-12-16 -6 -7 -8-12-10 22 -6 -3 -3 -5 -6-16-12-30
Q 18-14 6 21 7 2 -5 14 17 11 12 16 -6 22 20 18 17 15-10 5-30
R 15-15 -1 19 4 1 -4 14 21 12 11 12 -3 20 22 20 19 15 -8 8-30
S 20-13 7 18 5 7 -4 16 14 13 6 19 -3 18 20 22 21 18 -8 4-30
T 19-14 0 16 3 2 -9 16 12 12 8 11 -5 17 19 21 22 16-10 3-30
V 20-14 0 16 8 1 -7 22 12 20 8 11 -6 15 18 16 22 -7 3-30
W 9-18-14-10 -9-13-17 -7-11 -8-13-11-16-10 -8 -8-10 -7 22 -6-30
Y 2-11 -4 2 20 -2 -8 4 5 5 -2 -1-12 5 8 4 3 3 -6 22-30
.-30-30-30-30-30-30-30-30-30-30-30-30-30-30-30-30-30-30 0
    
```

PAM250 matrix⁽¹⁷⁾

```

A R N D C Q E G H I L K M F P S T W Y V .
A 2 -2 0 0 -2 0 0 1 -1 -1 -2 -1 -1 -4 1 1 1 -6 -3 0-15
R -2 6 0 -1 -4 1 -1 -3 2 -2 -3 3 0 -4 0 0 -1 2 -4 -2-15
N 0 0 2 2 -4 1 1 0 2 -2 -3 1 -2 -4 -1 1 0 -4 -2 -2-15
D 0 -1 2 4 -5 2 3 1 1 -2 -4 0 -3 -6 -1 0 0 -7 -4 -2-15
C -2 -4 -4 -5 12 -5 -5 -3 -3 -2 -6 -5 -5 -4 -3 0 -2 -8 0 -2-15
Q 0 1 1 2 -5 4 2 -1 3 -2 -2 1 -1 -5 0 -1 -1 -5 -4 -2-15
E 0 -1 1 3 -5 2 4 0 1 -2 -3 0 -2 -5 -1 0 0 -7 -4 -2-15
G 1 -3 0 1 -3 -1 0 5 -2 -3 -4 -2 -3 -5 -1 1 0 -7 -5 -1-15
H -1 2 2 1 -3 3 1 -2 6 -2 -2 0 -2 -2 0 -1 -1 -3 0 -2-15
I -1 -2 -2 -2 -2 -2 -2 -3 -2 5 2 -2 2 1 -2 -1 0 -5 -1 4-15
L -2 -3 -3 -4 -6 -2 -3 -4 -2 2 6 -3 4 2 -3 -3 -2 -2 -1 2-15
K -1 3 1 0 -5 1 0 -2 0 -2 -3 5 0 -5 -1 0 0 -3 -4 -2-15
M -1 0 -2 -3 -5 -1 -2 -3 -2 2 4 0 6 0 -2 -2 -1 -4 -2 2-15
F -4 -4 -4 -6 -4 -5 -5 -5 -2 1 2 -5 0 9 -5 -3 -3 0 7 -1-15
P 1 0 -1 -1 -3 0 -1 -1 0 -2 -3 -1 -2 -5 6 1 0 -6 -5 -1-15
S 1 0 1 0 0 -1 0 1 -1 -1 -3 0 -2 -3 1 2 1 -2 -3 -1-15
T 1 -1 0 0 -2 -1 0 0 -1 0 -2 0 -1 -3 0 1 3 -5 -3 0-15
W -6 2 -4 -7 -8 -5 -7 -7 -3 -5 -2 -3 -4 0 -6 -2 -5 17 0 -6-15
Y -3 -4 -2 -4 0 -4 -4 -5 0 -1 -1 -4 -2 7 -5 -3 3 10 -2-15
V 0 -2 -2 -2 -2 -2 -2 -2 -1 -2 4 2 -2 2 -1 -1 -1 0 -6 -2 4-15
.-15-15-15-15-15-15-15-15-15-15-15-15-15-15-15-15-15-15 0
    
```

BLOSUM62 matrix⁽¹⁸⁾

```

A R N D C Q E G H I L K M F P S T W Y V .
A 4 -1 -2 -2 0 -1 -1 0 -2 -1 -1 -1 -1 -2 -1 1 0 -3 -2 0-4
R -1 5 0 -2 -3 1 0 -2 0 -3 -2 2 -1 -3 -2 -1 -1 -3 -2 -3 -4
N -2 0 6 1 -3 0 0 0 1 -3 -3 0 -2 -3 -2 1 0 -4 -2 -3 -4
D -2 -2 1 6 -3 0 2 -1 -1 -3 -4 -1 -3 -3 -1 0 -1 -4 -3 -3 -4
C 0 -3 -3 -3 9 -3 -4 -3 -3 -1 -1 -3 -1 -2 -3 -1 -1 -2 -2 -1 -4
Q -1 1 0 0 -3 5 2 -2 0 -3 -2 1 0 -3 -1 0 -1 -2 -1 -2 -4
E -1 0 0 -2 -4 2 5 -2 0 -3 -3 1 -2 -3 -1 0 -1 -3 -2 -2 -4
G 0 -2 0 -1 -3 -2 -2 6 -2 -4 -4 -2 -3 -3 -2 0 -2 -2 -3 -3 -4
H -2 0 1 -1 -3 0 0 -2 8 -3 -3 -1 -2 -1 -2 -1 -2 -2 2 -3 -4
I -1 -3 -3 -3 -1 -3 -3 -4 3 2 -3 1 0 -3 -2 -1 -3 -1 3 -4
L -1 -2 -3 -4 -1 -2 -3 -4 3 2 4 -2 2 0 -3 -2 -1 -2 -1 1 -4
K -1 2 0 -1 -3 1 1 -2 -1 -3 -2 5 -1 -3 -1 0 -1 -3 -2 -2 -4
M -1 -1 -2 -3 -1 0 -2 -3 -2 1 2 -1 5 0 -2 -1 -1 -1 -1 1 -4
F -2 -3 -3 -2 -3 -3 -1 0 0 -3 0 6 -4 -2 -2 1 3 -1 -1 4
P -1 -2 -2 -1 -3 -1 -1 -2 -2 -3 -3 -1 -2 -4 7 -1 -1 -4 -3 -2 -4
S 1 -1 1 0 -1 0 0 0 -1 -2 0 0 -1 -2 -1 4 1 -3 -2 -2 -4
T 0 -1 0 -1 -1 -1 -1 -2 -2 -1 -1 -1 -1 -2 -1 1 5 -2 -2 0-4
W -3 -3 -4 -4 -2 -2 -3 -2 -3 -2 -3 -1 1 -4 -3 -2 11 2 -3 -4
Y -2 -2 -2 -3 -2 -1 -2 -3 2 -1 -1 -2 -1 3 -3 -2 -2 7 -1 -4
V 0 -3 -3 -3 -1 -2 -2 -3 3 3 1 -2 1 -1 -2 -2 0 -3 -1 4 -4
. -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 1
    
```

Identity matrix

```

A R N D C Q E G H I L K M F P S T W Y V .
A 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
R 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
N 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
D 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
C 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Q 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
E 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
G 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0
H 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0
I 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0
L 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0
K 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0
M 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0
F 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0
P 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0
S 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0
T 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0
W 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0
Y 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0
V 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0
. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    
```


12 Input file examples

These examples above refer to a study made with the group of Prof. David STUART, **Division of Structural Biology** (Oxford) on viral proteins VP7 and VP3 in orbiviruses^(19,20).

1. vp2_rota.inp (resulting PostScript, PNG)

```

vp2_rota.phd ! mail from the Predict Protein server on vp2 rotavirus
* A none ! shows predicted sec. str. elements and accessibility on the top of each block
.
.7 E ! physico-chemical boxing
6 81 ! layout
@pp ! extracts all infos from the Predict Protein file
@noname ! no names for sec. structures
.
2-6 ! sequences to be displayed
.
    
```




2. vp7_adv.inp (resulting PostScript, PNG)

```

vp7.aln vp7_btv10.pdb      ! aligned sequences (from CLUSTALW) and pdb file
vp7_btv10.dssp A          ! secondary structures (from DSSP)
vp7_adv.ps M              ! PostScript output
.7 .5 R                   ! similarity criteria
7 60                      ! layout
U R 127 250               ! -> red triangles
S B 168-170 178-180      ! -> blue stars
X B 1-126 254-349        ! -> sec. structure information in blue
X G 127-253              ! -> sec. structure information in green
T R 1-2                  ! -> names of btv sequences in red
@oname                   ! no names for sec. structure
%Alignment for protein VP7.
.
2 1 3-6                  ! first group of sequences
7-8                      ! second group of sequences
9                        ! third group of sequences
.

```




3. vp3_sup.inp (resulting PostScript, PNG)

```

vp3.aln +                 ! The + enables extra input
vp31001.art_dssp          ! DSSP file for btv-10 vp3
vp3_sup.ps M              ! PostScript output
.7 .5 R
5 160 13 8 0 C L N
T R 1                     ! title 1 sequence in red
Y R all                   ! numbering 1 sequence in red
@oname                   ! no names for sec. structure
%Alignment vp3 orbivirus and attempt against vp2 rotavirus
.                          ! end special characters
1-2                      ! 1st group of sequences
9 10                     ! 2nd group of sequences
11                       ! 3rd group of sequences
.                          ! end
vp2_casper.aln 8         ! 2.THREADER alignment between btv vp3 and rota vp2
vp31001.art_dssp vp2_rota.phd ! DSSP file for btv and PHD file for rota
vp3_sup.ps
.7 R
5 160 16 -1 0 C L N
T R 1                     ! title 1 sequence in red
Y R all                   ! numbering 1 sequence in red
T B 2                     ! title 2 sequence in blue
Z B 2                     ! numbering 2 sequence in blue
@oname                   ! no names for sec. structure
.                          ! end special characters
.                          ! all sequences in one group

```



4. vp3_art.inp (resulting PostScript, PNG)

```

vp3.aln +                 ! CLUSTAL alignment for VP3 and option +
vp32001.art_dssp          ! DSSP file for first monomer
vp3_art.ps
.7 R
6 129 8 0 0 C L
X G 1                     ! domains
X D 1-1
X B 298-587
X R 699-856
@skip                    ! hide sequence
@oname                   ! no names for sec. structure
@ah3 bbc bbd bbE ah4 ah5 bbF bbG bbH ah6 bbI ah7 ah8 bbJ bbK ah9
@ah10 bbL ah11 bbM bbN ah12 ah13 bba ah1/bb ah2 ah3 bbd ah4 ah5
@ah6 bbE bbF bbG ah7 bbH bbI bbJ/h8 ah9 ah10 ah11 bbK ah12 bbL
@bbQ ah14 ah15 ah16 ah17 bbP/h18 ah19 ah20 ah21 bba bbB bbC ah1
@bbe bbF bbG ah2 ah3 bbH bbI ah4 bbJ bbK bbL ah5 bbM bbN bbQ ah22
@bbr bbs ah23 bbt       ! new sec. structure labels
.
1 %10 %11 %12
.
vp3.aln vp3_contact.log   ! same alignment and CNS output for contacts
vp31001.art_dssp          ! DSSP file for second monomer
vp3_art.ps
.7 R
6 129 8 -1 0 C L        ! vertical shift
X G 1                     ! domains
X D 1-1
X B 298-587
X R 699-856
A S all                  ! no letters above sec. elements

```

```

R A all          ! intermolecular contacts for VP3A
R B all          ! intermolecular contacts for VP3B
@noname         ! no names for sec. structure
%Secondary structures for vp3A and vp3B, article definition.
.

```

```

1 %10 %11 %12
.

```




5. vp/_exp.inp (resulting PostScript, PNG)

```

vp7.aln +          ! CLUSTAL alignment on orbivirus
vp7_btvis.dssp    ! btvis secondary elements
vp7_exp.ps M
.
7 60 6 0 F N
X B 1             ! btvis sec. elements in blue
@skip            ! hide all sequences
@h               ! first 310-helix is not labeled
%Alignment on VP7 with two secondary structure elements.
.
2 all             ! btvis in first then other sequences
.
vp7.aln          ! same aligned sequences
vp7_btvis.dssp   ! btvis secondary elements
vp7_exp.ps M
.3 E             ! homology criteria is %Equivalence
7 60 6 -1 F N    ! vertical shift(-1) flashy colours(F) all sequences numbered(N)
X R 2            ! btvis sec. elements in red
A S all         ! remove sec. structure labels
T B 1           ! btvis title in blue
T R 2           ! btvis title in red
Q P 1-3 169-171 ! highlight RGD segment in pink
Q P 5-7 169-171
Q P 8 180-182
.
2 all             ! btvis is the first displayed sequence
.

```



13 References

- Wootton, J. C. and Federhen, S. (1996) Analysis of compositionally biased regions in sequence databases. *Meth. in Enzymol.* **266**, 554-571.
- Sigrist, C. J., de Castro, E., Cerutti, L., Cuče, B. A., Hulo, N., Bridge, A., Bougueleret, L. and Xenarios, I. (2013) New and continuing developments at PROSITE. *Nucleic Acids Res.* **41**(Database issue), D344-347.
- Corpet, F. (1988) Multiple sequence alignment with hierarchical clustering. *Nucleic Acids Res.* **16**, 10881-10890.
- Bru, C., Courcelle, E., Carrère, S., Beausse, Y., Dalmar, S. and Kahn, D. (2005) The ProDom database of protein domain families: more emphasis on 3D. *Nucleic Acids Res.* **33**(Database issue), D212-D215.
- Larkin, M. A., Blackshields, G., Brown, N. P., Chenna, R., McGettigan, P. A., McWilliam, H., Valentin, F., Wallace, I. M., Lopez, R., Thompson, J. D., Gibson, T. J., and Higgins, D. G. (2007) Clustal W and Clustal X version 2.0. *Bioinformatics* **23**, 2947-2948.
- Sievers, F., Wilm, A., Dineen, D. G., Gibson, T. J., Karplus, K., Li, W., Lopez, R., McWilliam, H., Remmert, M., Soding, J., Thompson, J. D. and Higgins, D. G. (2011) Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Mol. Sys. Biol.* **7**, 539.
- Combet, C., Blanchet, C., Geourjon, C. and Deléage, G. (2000) NPS@: Network Protein Sequence Analysis. *TIBS* **25**, 147-150.
- Pearson, W. R. (2014) BLAST and FASTA similarity searching for multiple sequence alignment. *Methods Mol. Biol.* **1079**, 75-101.
- Gouy, M., Guindon, S. and Gascuel, O. (2010) SeaView version 4 : a multiplatform graphical user interface for sequence alignment and phylogenetic tree building. *Mol. Biol. Evol.* **27**, 221-224.
- Berman, H. M., Battistuz, T., Bhat, T. N., Bluhm, W. F., Bourne, P. E., Burkhardt, K., Feng, Z., Gilliland, G. L., Iype, L., Jain, S., Fagan, P., Marvin, J., Padilla, D., Ravichandran, V., Schneider, B., Thanki, N., Weissig, H., Westbrook, J. D., and Zardecki, C. (2002) *Acta Cryst.* **D58**, 899-907.
- Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J. S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. and Warren, G. L. (1998) Crystallography & NMR system: A new software suite for macromolecular structure determination. *Acta Cryst.* **D54**, 905-921.
- Joosten, R. P., Te Beek, T. A. H., Krieger, E., Hekkelman, M. L., Hooft, R. W. W., Schneider, R., Sander, C. and Vriend, G. (2011) A series of PDB related databases for everyday needs. *Nucleic Acids Res.* **39**(Database issue), D411-D419.
- Frishman, D. and Argos, P. (1995) Knowledge-based secondary structure assignment. *Proteins* **23**, 566-579.
- Rost, B., Yachdav, G. and Liu, J. (2004) The PredictProtein server. *Nucleic Acids Res.* **32**(Web Server issue), W321-W326.
- Kyte, J. and Doolittle, R. (1982) A simple method for displaying the hydropathic character of a protein. *J. Mol. Biol.* **157**, 105-132.
- Risler, J. L., Delorme, M. O., Delacroix, H. and Henaut, A. (1988) Amino acid substitutions in structurally related proteins. A pattern recognition approach. Determination of a new and efficient scoring matrix. *J. Mol. Biol.* **204**, 1019-1029.
- Dayhoff, M. (1978) "Atlas of protein sequences and structure" *National Biomedical Research Foundation. Washington, D.C.*, p. 345.
- Henikoff, J. G. and Henikoff, S. (1996) Blocks database and applications. *Meth. in Enzym.* **266**, 88-105.
- Grimes, J. M., Burroughs, J. N., Gouet, P., Diprose, J. M., Malby, R., Zientara, S., Mertens, P. P. C. and Stuart, D. I. (1998) The atomic structure of the bluetongue virus core. *Nature* **395**, 470-478.
- Gouet, P., Diprose, J. M., Grimes, J. M., Malby, R., Burroughs, J. N., Zientara, S., Stuart, D. I. and Mertens, P. P. C. (1999) The highly ordered double-stranded RNA genome of bluetongue virus revealed by crystallography. *Cell* **97**, 481-490.

User guide last revision: January 18, 2016